

44, S.S.I. INDUSTRIAL AREA, G.T. KARNAL ROAD, DELHI - 110 033
TELEFAX : 27691974, 27692727 • E-mail : windsor_cables@yahoo.co.in
011-47055170

PRICE LIST MAY 2024

ALUMINUM UN ARMoured / ARMoured

W.E.F : 01.05.2024

"WINDSOR" BRAND Power Cables, Solid Aluminum conductor up to 10 sqmm balance stranded conductor, XLPE

Insulated, cores laid up, PVC tape inner sheathed, unarmoured / Armour (Aluminium wire for single core up to 70 sqmm balance Aluminium strip, Galvanised wire for cables upto 2x16 sqmm, 3x10 sqmm & balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/1100V grade as per IS 7098 (Part 1) 1988

(Rate in Rs. Per Metre)

Cable Size in sq.mm	UN ARMoured					ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	A2XY	A2XY	A2XY	A2XY	A2XY	A2XWaY A2XFaY	A2XWY A2XFY	A2XWY A2XFY	A2XFY	A2XWY A2XFY
6		144.00	171.00		209.00		224.00	245.00		292.00
10		209.00	233.00		274.00		284.00	316.00		402.00
16		212.00	263.00		348.00		323.00	340.00		430.00
25	146.00	274.00	371.00	471.00	495.00	240.00	344.00	435.00	505.00	541.00
35	189.00	360.00	511.00	553.00	613.00	290.00	430.00	575.00	639.00	728.00
50	243.00	452.00	629.00	749.00	820.00	358.00	556.00	748.00	865.00	973.00
70	335.00	650.00	905.00	1023.00	1178.00	458.00	744.00	1026.00	1166.00	1322.00
95	431.00	771.00	1101.00	1302.00	1404.00	549.00	920.00	1263.00	1456.00	1648.00
120	537.00	961.00	1438.00	1674.00	1738.00	637.00	1098.00	1538.00	1823.00	2010.00
150	663.00	1195.00	1691.00	1959.00	2152.00	759.00	1350.00	1888.00	2161.00	2471.00
185	821.00	1425.00	2132.00	2505.00	2663.00	933.00	1623.00	2339.00	2736.00	3040.00
240	1042.00	1864.00	2752.00	3066.00	3479.00	1153.00	2152.00	2986.00	3435.00	3925.00
300	1288.00	2278.00	3373.00	3973.00	4237.00	1419.00	2637.00	3689.00	4227.00	4838.00
400	1658.00	2843.00	4208.00	4965.00	5579.00	1792.00	3424.00	4716.00	5400.00	6220.00
500	2084.00					2232.00				
630	2580.00					2754.00				
800	3221.00					3385.00				
1000	4061.00					4163.00				

EXTRAS FOR SPECIAL CONSTRUCTION:

		FRLS Loading factor				LSZH	
		Cable Size (Sq.mm)	Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
a) Round Wire Armouring				Armd.	Unarmd.		
- 2 x 16 & above	30.00%						
- 3 x 16 & 3.5CX25 & above	30.00%	Power (Al.)					
- 4 x 10 & above	30.00%	Upto 16	15.0%	11.5%	11.5%	22.5%	30.0%
- For Single core 95 & above	30.00%	25 - 50	11.5%	11.5%	11.5%	18.0%	22.5%
b) Stranding 10 sq.mm and below	10.00%	70 & above	7.5%	7.5%	7.5%	22.5%	18.0%
c) Extruded PVC Innersheath Up 50	7.50%	Power Single Core (Al.)					
Extruded PVC Innersheath 70 & Above	4.00%	Upto 16	-N.A-	15.0%	15.0%	-N.A-	37.5%
d) HR PVC Insulation	15.00%	25 - 70	-N.A-	15.0%	15.0%	-N.A-	30%
e) HR PVC Inner Sheath	7.50%	95 & above	-N.A-	11.5%	11.5%	-N.A-	26.0%
f) HR PVC Outer Sheath				7.50%			
g) Oxygen Index (FR)				4.00%			
h) PVC Cables				12.00%			

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

Page 01 of 05

WINDSOR CABLES PVT. LTD.



Manufacturers of : ALL TYPES OF P.V.C. WIRES AND P.V.C. F.R.L.S., X.L.P.E. ARMoured, UNARMoured CABLES

44, S.S.I. INDUSTRIAL AREA, G.T. KARNAL ROAD, DELHI - 110 033
 TELEFAX : 27691974, 27692727 • E-mail : windsor_cables@yahoo.co.in
 011-47055170

PRICE LIST MAY 2024

CU UNARMoured / ARMoured

W.E.F : 01.05.2024

"WINDSOR" BRAND Power/Control Copper Cables, Solid Copper conductor, XLPE Insulated, cores laid up, PVC tape innersheathed, Unarmoured/Armour (Galvanised wire for cables up to 14x1.5 sqmm, 9x2.5 sqmm, 2x16 sqmm, 3x10 sqmm, 4x10 sqmm balance all galvanised steel strip), extruded PVC Type ST2 Sheathed, 650/1100 V grade as per IS 7098 (Part 1) 1988

Cable Size in sq.mm	UN ARMoured					ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	2XY	2XY	2XY	2XY	2XY	2XaY 2XFaY	2XWY 2XFY	2XWY 2XFY	2XFY	2XWY 2XFY
4		333.00	474.00		587.00		392.00	525.00		672.00
6		473.00	686.00		830.00		536.00	740.00		950.00
10		824.00	1136.00		1355.00		856.00	1175.00		1538.00
16	638.00	1145.00	1763.00		2212.00	763.00	1250.00	1838.00		2371.00
25	1012.00	1998.00	2778.00	3309.00	3637.00	1115.00	2152.00	2937.00	3520.00	3872.00
35	1400.00	2767.00	3725.00	4352.00	4985.00	1514.00	2948.00	3982.00	4615.00	5254.00
50	1917.00	3795.00	5121.00	6153.00	6807.00	2047.00	3850.00	5443.00	6424.00	7282.00
70	2730.00	5412.00	7517.00	8691.00	9873.00	2875.00	5720.00	7920.00	9035.00	10318.00
95	3722.00	7398.00	10601.00	12452.00	14238.00	3821.00	7905.00	10824.00	12511.00	14740.00
120	4692.00	9350.00	12979.00	16500.00	18480.00	4808.00	9425.00	13882.00	17050.00	18619.00
150	5862.00	11660.00	17380.00	20075.00	23100.00	5982.00	11800.00	17655.00	20625.00	23650.00
185	7194.00	14086.00	21450.00	25080.00	28600.00	7354.00	14607.00	22440.00	26257.00	29975.00
240	9295.00	18035.00	28034.00	32748.00	37896.00	9449.00	18818.00	29150.00	33891.00	38669.00
300	11594.00	22472.00	34768.00	40376.00	46800.00	11781.00	23834.00	36740.00	42489.00	49170.00
400	15235.00	29994.00	43340.00	49367.00	61570.00	15400.00	32421.00	47190.00	53702.00	65737.00
500	19250.00					19470.00				
630	24200.00					24530.00				
800	30800.00					31130.00				
1000	38500.00					38830.00				

CONTROL CABLES

Number of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY		No. of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY	
	1.5	2.5	1.5	2.5		1.5	2.5	1.5	2.5
2	160.00	242.00	205.00	289.00	12	709.00	1154.00	788.00	1208.00
3	221.00	339.00	255.00	373.00	14	743.00	1336.00	898.00	1404.00
4	284.00	442.00	315.00	467.00	16	895.00	1530.00	1008.00	1594.00
5	340.00	537.00	378.00	557.00	19	1072.00	1812.00	1197.00	1880.00
6	404.00	638.00	442.00	659.00	24	1357.00	2288.00	1498.00	2352.00
7	462.00	735.00	494.00	749.00	27	1484.00	2700.00	1649.00	2804.00
8	567.00	786.00	636.00	863.00	30	1761.00	3203.00	1838.00	3371.00
10	674.00	943.00	719.00	1040.00	37	2375.00	3839.00	2483.00	3938.00

EXTRAS FOR SPECIAL CONSTRUCTION (CONTROL CABLES):

A) Tinning	3.00%
B) Stranding (Upto 6 SQ.MM)	4.00%
C) Extruded Innersheath	4.00%
D) Round Wire Armouring	
1C x 95 sq. mm & above	9.00%
1.5 sq. mm - 16 core & above	18.00%
2.5 sq. mm - 10 core & above	18.00%
16 sq. mm - 4 core & above	18.00%
25 sq. mm - 2 core & above	18.00%
16 sq. mm - 3 core & above	18.00%

E) HR PVC INSULATION	10.00%
F) OXYGEN INDEX (FR)	4.00%
G) HR I.SH & O.SH.	7.50% (Each)
H) FRLS Loading-Power Cable	upto 6sq mm - 11.50%
FRLS Loading-Power Cable	10 sq mm and above - 6.00%
I) PVC Cables	7.50%

FRLS Loading Factor- Control Cable				LSZH	
Cores	Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
		Armoured	Unarmd		
2 - 4	7.5%	9.0%	9.0%	22.5%	22.5%
5 - 10	7.5%	6.0%	6.0%	22.5%	22.5%
12 & Above	7.5%	6.0%	6.0%	18.0%	18.0%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

WINDSOR CABLES PVT. LTD.

Page 02 of 05



Manufacturers of : ALL TYPES OF P.V.C. WIRES AND P.V.C. F.R.L.S., X.L.P.E. ARMoured, UNARMoured CABLES

44, S.S.I. INDUSTRIAL AREA, G.T. KARNAL ROAD, DELHI - 110 033
 TELEFAX : 27691974, 27692727 • E-mail : windsor_cables@yahoo.co.in
 011-47055170

PRICE LIST MAY 2024

W.E.F : 01.05.2024

"WINDSOR" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, XLPE INSULATED, INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.3kA FOR 1 SEC), EXTRUDED PVC INNER SHEATHED, AL FLAT STRIP ARMoured, AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	1 CORE HT XLPE					
	A2XCEFaY					
	3.3 KV E	6.6 KV (E) / 3.3 KV (UE)	6.6 KV (UE) 11 KV (E)	11 KV (UE)	22 KV (E)	33 KV (E)
240		1574.00	1730.00	1959.00	2005.00	2578.00
300		1803.00	1984.00	2232.00	2283.00	3048.00
400		2192.00	2379.00	2649.00	2708.00	3497.00
500		2798.00	2900.00	3328.00	3328.00	4120.00
630		3380.00	3471.00	3932.00	3932.00	4792.00
800		4201.00	4259.00	4711.00	4711.00	5671.00
1000		4969.00	5457.00	5838.00	5838.00	6939.00

EXTRAS FOR SPECIAL CONSTRUCTION:

1) FRLS PVC Inner Sheath	11.5%
2) FRLS PVC Outer Sheath	7.5%
3) Oxygen Index	4.5%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

Page 03 of 05

WINDSOR CABLES PVT. LTD.



Manufacturers of : ALL TYPES OF P.V.C. WIRES AND P.V.C. F.R.L.S., X.L.P.E. ARMoured, UNARMoured CABLES

44, S.S.I. INDUSTRIAL AREA, G.T. KARNAL ROAD, DELHI - 110 033
 TELEFAX : 27691974, 27692727 • E-mail : windsor_cables@yahoo.co.in
 011-47055170

PRICE LIST MAY 2024
W.E.F : 01.05.2024

"WINDSOR" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, XLPE INSULATED, INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.3KA FOR 1 SEC), EXTRUDED PVC INNER SHEATHED, AL ROUND WIRE ARMoured, AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

Cable Size in sq.mm	(Rate in Rs. Per Metre)					
	I CORE HT XLPE					
	A2XCEWαY					
	3.3 KV E	6.6 KV (E) / 3.3 KV (UE)	6.6 KV (UE) 11 KV (E)	11 KV (UE)	22 KV (E)	33 KV (E)
240		1651.00	1816.00	2062.00	2111.00	2717.00
300		1903.00	2094.00	2349.00	2404.00	3212.00
400		2310.00	2504.00	2786.00	2848.00	3674.00
500		2948.00	3048.00	3500.00	3500.00	4340.00
630		3561.00	3653.00	4134.00	4134.00	5042.00
800		4417.00	4606.00	4959.00	4959.00	5967.00
1000		5231.00	5748.00	6139.00	6139.00	7275.00
EXTRAS FOR SPECIAL CONSTRUCTION:						
1) FRLS PVC Inner Sheath			11.5%			
2) FRLS PVC Outer Sheath			7.5%			
3) Oxygen Index			4.5%			
• The above rates are exclusive of GST & any other taxes which shall be charged extra. • This cancels all our previous Price Lists. This Price List is subject to change without prior notice.						
WINDSOR CABLES PVT. LTD.				Page 04 of 05		



Manufacturers of : ALL TYPES OF P.V.C. WIRES AND P.V.C. F.R.L.S., X.L.P.E. ARMoured, UNARMoured CABLES

PRICE LIST MAY 2024
W.E.F : 01.05.2024

"WINDSOR" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, XLPE INSULATED, INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.3KA FOR 1 SEC), CORES LAID UP, INNERSHEATH OF PVC TAPE, GALVANISED STEEL FLAT STRIP ARMoured, AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

Cable Size in sq.mm	(Rate in Rs. Per Metre)					
	3 CORE HT XLPE					
	A2XCEF Y					
	3.3 KV E	6.6 KV (E) / 3.3 KV (UE)	6.6 KV (UE) 11 KV (E)	11 KV (UE)	22 KV (E)	33 KV (E)
35			1453.00			
50			1737.00			
70		1953.00	2116.00			
95		2204.00	2400.00	3244.00	3311.00	4386.00
120		2668.00	2897.00	3645.00	3720.00	4945.00
150		3133.00	3394.00	4181.00	4266.00	5315.00
185		3593.00	3870.00	4719.00	4816.00	5934.00
240		4381.00	4689.00	5571.00	5685.00	7009.00
300		5237.00	5547.00	6532.00	6665.00	7912.00
400		6641.00	6940.00	7923.00	8084.00	9589.00

EXTRAS FOR SPECIAL CONSTRUCTION:

1) Extruded PVC Inner Sheath	
2) Pressure Extruded PVC Innersheath	4.5%
3) Round Wire Armouring - Up to 11 KV (E)	19.5%
11 KV (UE) & Above	30.0%
4) FRLS PVC Inner Sheath	33.0%
5) FRLS PVC Outer Sheath	7.5%
6) FR Sheath with Oxygen Index	7.5%
	4.5%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

WINDSOR CABLES PVT. LTD.

Page 05 of 05



Manufacturers of : ALL TYPES OF P.V.C. WIRES AND P.V.C. F.R.L.S., X.L.P.E. ARMoured, UNARMoured CABLES